

The logo features the text "MetalProTECTION" in a white, bold, sans-serif font with a slight shadow, set against a dark blue background. The word "Metal" is in italics, and "TECTION" is in all caps. A small "SM" trademark symbol is at the end. Below this, a green ribbon banner contains the words "SYSTEM WARRANTY" in white, all-caps, sans-serif font. The entire logo is enclosed in a dark blue, metallic-looking shield shape with a gold border.

***MetalPro*TECTIONSM**
SYSTEM WARRANTY



MetalProTECTIONSM System Limited Warranty

Congratulations! Thank you for purchasing a Union Corrugating (Union) metal roofing system installed by one of our factory trained MetalPro contractors. MetalPro is America's #1 Residential Metal Roofing Contractor network. This Limited Warranty provides you with the added benefit of our MetalProTECTIONSM 10-year labor coverage period. During this period, Union will cover both labor and materials in the case of manufacturing defects. In addition, MetalProTECTIONSM installations require the use of genuine Union components in critical roof areas. You can have peace of mind that your MetalProTECTIONSM System Limited Warranty provides the highest level of manufacturer warranty protection available in the market today.

Union extends the following limited warranty to Buyer for: Paint System used to coat coils of metal fabricated into prepainted metal building components and hot-dipped aluminum-zinc alloy-coated Galvalume[®] and Galvalume Plus[®] sheet steel. This limited warranty applies only to the goods and for the uses described herein.

Duration of Warranty

Galvalume[®] and Galvalume Plus[®] Steel Substrate: Subject to the provisions below, all Galvalume[®] and Galvalume Plus[®] sheet steel with a coating weight of AZ50 sold for use as unpainted steel building panels within the continental United States, Alaska, Hawaii, Canada, or the Caribbean, and exposed to normal atmospheric conditions WILL NOT rupture, fail structurally, or perforate due to corrosion within a period of 20 years and 6 months after shipment from our mill. For a coating weight of AZ55, this period is extended to 25 years and 6 months. For Lifetime Warranty Products, this period is extended to the lifetime of the original purchaser, subject to the Lifetime Warranty proration adjustment table herein.

Paint System: Subject to the provisions below, Union warrants that Paint System used to coat coils of metal fabricated into prepainted metal building components, applied to goods used on wood frame buildings and on architectural, commercial, pre-engineered or residential buildings, which are installed in the United States, Canada and Mexico, will resist natural weathering to the extent that it will conform to the performance standards listed below during a period of 40 years after coating for film integrity and a period of 30 years after coating for both chalking and color change. For Lifetime Warranty Products, this period is extended to the lifetime of the original purchaser, subject to the Lifetime Warranty proration adjustment table herein.

- (1) For buildings installed north of the 15° parallel of latitude in the Northern Hemisphere:
 - (A) Paint System will not peel, crack, check, or flake to an extent that is apparent on ordinary outdoor visual observation;
 - (B) Vertical installations of Paint System will not change color more than 5 NBS (Hunter) units, and non-vertical installation will not change color more than 7 NBS (Hunter) units following field installation. Color measurements are to be made per ASTM D 2244 and only on clean surfaces after removing surface deposits and chalk per ASTM D 3964; and
 - (C) Vertical installations of Paint System will not chalk more than a number 8 rating, and non-vertical installations will not chalk more than a number 6 rating, when measured per ASTM D-4214, Method A.
- (2) For buildings installed south of the 15° parallel of latitude in the Northern Hemisphere:
 - (A) Paint System will not peel, crack, check, or flake to an extent that is apparent on ordinary outdoor visual observation.

What Is Covered/Sole and Exclusive Remedy. Union warrants that Galvalume[®], Galvalume Plus[®], and Paint System will be free from manufacturing defects for the applicable warranty period. In the event of such manufacturing defects during the applicable warranty period, the following sole and exclusive remedy shall apply:

- (1) MetalProTECTIONSM 10-year Labor Coverage period: During the first ten years of the applicable warranty term, Union will pay Buyer the reasonable cost of labor to repair or replace the Union products, and will provide replacement products or the reasonable price of obtaining nonconforming materials, at Union's option.
- (2) After 10-year MetalProTECTIONSM period: After the first ten years of the applicable warranty term, Union shall not be liable for the cost of labor. Union will solely be responsible for replacement materials or the reasonable cost of obtaining nonconforming materials, at Union's option.

This warranty also applies to the material repaired or used to replace nonconforming material, but only for the unexpired portion of the warranty term applicable to the original material.

COLOR MATCH
SAMPLE

Lifetime Warranty Proration Adjustment

For Lifetime Warranty products, the amount of coverage you receive will be calculated by adjusting the applicable dollar per linear foot (or amount of replacement panels) to reflect the amount of use you have enjoyed from the roof panels. That is, we will prorate the amount of your payment through the date of your claim. The following proration factors apply:

Years Since Installation:	Proration Adjustment:
0-40	100%
41 – 51	50%
51 – Lifetime	21%

What Is Not Covered

With respect to Galvalume® and Galvalume Plus®, the respective warranties do not apply in the event of:

- (1) Bends less than 2T inside bend diameter for sheet thicknesses 0.030" and thinner, and less than 4T for sheet thicknesses greater than 0.030".
- (2) Roof or sections of the roof flatter than 1/4:12 slope.
- (3) Mechanical, chemical, or other damage sustained during shipment, storage, forming, fabrication, or during or after erection.
- (4) Forming which incorporates severe reverse bending or which subjects the metallic coating to alternate compression and tension.
- (5) Failure to provide free drainage of water, including, but not limited to, internal condensation, from overlaps and from all other surfaces of the sheets or panels.
- (6) Failure to remove debris from overlaps and from all other surface of the sheets or panels.
- (7) Damage caused to the metallic coating by improper forming (including, but not limited to, roll forming, press braking or embossing) or scouring or cleaning procedures.
- (8) Deterioration of the panels caused by contact with green or wet or pressure-treated lumber, or wet storage stain caused by water damage or condensation.
- (9) Presence of damp insulation, soil, vegetation or other corrosive materials in contact with or in close proximity to the sheets or panels.
- (10) Deterioration to the panels caused by directly or indirectly by panel contact with fasteners or by overdriving the fasteners so as to damage the panel. Selection of suitable long-lasting fasteners to be used with Galvalume® and Galvalume Plus® panels rests solely with the Buyer. Fasteners are to be electrically insulated from the panel surface (e.g., with elastomeric grommets) to prevent dissimilar metal contact.
- (11) Failures caused by acts of God, falling objects, external forces, explosions, fires, riots, civil commotions, acts of war or radiation.
- (12) Damage or deterioration as a result of failure to comply with Union installation procedures or industry good practice procedures.

With respect to Paint System, the warranty does not apply in the event of:

- (1) Paint System which has suffered scratching or abrasion or impact by a hard object; has been abused, altered, modified, used in a manner not originally intended or stored contrary to instructions of Union, or good industry practice; is damaged due to moisture entrapment during transit or storage; is stored or installed in a way which allows for standing water on the coating or in any chemically aggressive environment containing fumes, ash, cement dust, carbon black, salts or other chemicals, whether naturally occurring or caused by man; is stored or installed in an environment that includes a high degree of humidity, sand, dirt, or grease, whether naturally occurring or caused by man; is stored or installed in a way which allows contact with animals and/or animal waste or its decomposition products; is stored or installed in an area, or in such a way, that damage can occur due to poor air circulation; is stored or installed in areas which are subject to fallout from copper, lead, nickel or silver mining or refining operations; has suffered any damage caused by acts of God, radiation, falling objects, explosion, fire, riots, civil commotions, acts of war or other external forces;
- (2) Paint System which suffers from cut edge exposure; corrosion of the substrate; or the development of any other condition between the coating and the substrate which causes the coating to degrade or delaminate, including any failure or deficiency in the cleaning process or pretreatment;
- (3) Paint System which is installed within 1000 meters of a salt water or other marine environment, except in cases where the building owner provides documentation of annual maintenance of the coated surfaces, (including an annual "sweet water" [fresh tap water] rinse, in accordance with AAMA610.1.1079), in which case warranty coverage for color change and chalk [Section C: Terms (2) and (3)] remains in effect. Written documentation records must be kept by the building owner according to AAMA610.1.1979 annual sweet water wash or the warranty becomes void.
- (4) Union products with a gray backer or which are identified as "#2" or "seconds" on a Union invoice are not warranted.
- (5) Damage or deterioration as a result of failure to comply with Union installation procedures or industry good practice procedures.

Exposure To Corrosive and Aggressive Atmospheric Conditions. The Galvalume® and Galvalume Plus® warranty does not apply to sheets exposed at any time to corrosive or aggressive atmospheric conditions, including, but not limited to: areas subject to salt water marine atmospheres or to constant spraying of wither salt or fresh water; areas subject to fallout or exposure to corrosive chemicals, fumes, ash, cement dust, animal waste or its decomposition by-products, carbon black, or fallout from copper, lead, nickel or silver mining or refining operations; areas subject to water run-off from lead or copper flashings or piping or areas in contact with lead or copper; or conditions/circumstances where corrosive fumes or condensates are generated or released inside the building.

REGISTRATION
INFORMATION

Product and Installation Requirements

Your MetalPro installer must purchase and install the following components for the roof system in order for your roof system to be eligible for the MetalProTECTIONSM 10-year Labor Coverage:

- Union's REPEL or REPEL II synthetic underlayment.
- All metal panels and trim must be supplied by Union to ensure color matching and corrosion resistance.
- Union's Lifetime woodscrews must be used for exposed fastener panels.
- All fasteners and accessories must be supplied by Union (screws, pop rivets, tube sealants (caulk), tape sealants, butyl tape, pipe boots, closures, etc.).

Who Is Covered By This Warranty

This limited warranty is issued only to the original Buyer and is non-transferable and/or non-assignable. Should the Buyer become insolvent, bankrupt, make an assignment for the benefit of its creditors, or for any reason discontinue its normal or regular business practices, this warranty shall forthwith become null and void and have no legal effect.

How To Make A Claim

In order for Union to honor any claim on material shipped, Buyer must promptly document the claim with identification of material, date of installation, date of shipment, Union's order number, Union's invoice number, and evidence of claimed defective coating. Union must be given a reasonable opportunity to inspect the material claimed to be nonconforming. Buyer must provide Union with all items within thirty (30) days of notice of the claimed defect.

Non-Waiver

In any instance or series of instances, the determination of Union not to exercise any right hereunder or not to require compliance with any term or condition hereof, shall not constitute a waiver of Union's rights to exercise all rights and to require compliance with all terms and conditions herein on all occasions prior and subsequent to such instance or instances, and no such determination or series of determinations by Union shall constitute an alteration or waiver of the rights and liabilities of Union and Buyer as otherwise set forth herein.

Sole and Exclusive Warranty

THIS WARRANTY IS EXCLUSIVE AND REPLACES ALL OTHER WARRANTIES, CONDITIONS, REPRESENTATIONS AND GUARANTEES, WHETHER EXPRESS OR IMPLIED, WHETHER BY STATUTE, AT LAW OR IN EQUITY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. This written warranty is your exclusive warranty from Union and represents the SOLE REMEDY available to any owner of Union products. Union makes NO OTHER REPRESENTATIONS, CONDITIONS, GUARANTEES, OR WARRANTIES of any kind other than that stated herein. UNION WILL NOT BE LIABLE IN ANY EVENT FOR CONSEQUENTIAL, PUNITIVE, SPECIAL, INCIDENTAL, OR OTHER SIMILAR DAMAGES OF ANY KIND, including DAMAGE TO THE INTERIOR OR EXTERIOR OF ANY BUILDING, whether for breach of this warranty, negligence, strict liability in tort, or for any other cause.

Miscellaneous

Seller reserves the right to terminate this warranty at any time (except as to orders already accepted) upon the giving of written notice thereof. This Limited Warranty shall be governed by and interpreted pursuant to the laws of the State of North Carolina.

Merger Clause

ANY AND ALL REPRESENTATIONS, PROMISES, WARRANTIES OR STATEMENTS BY UNION'S AGENTS THAT DIFFER IN ANY WAY FROM THE TERMS OF THIS WRITTEN LIMITED WARRANTY SHALL BE GIVEN NO FORCE OR EFFECT. ANY SUCH REPRESENTATIONS, PROMISES, WARRANTIES OR STATEMENTS DO NOT CONSTITUTE WARRANTIES, SHALL NOT BE RELIED UPON BY THE BUYER AND ARE NOT PART OF THIS LIMITED WARRANTY OR OF THE CONTRACT FOR SALE OF THE GALVALUME[®] OR GALVANIZED STEEL PANELS CONTAINING THE PAINT SYSTEM BETWEEN UNION AND BUYER. THIS LIMITED WARRANTY SHALL BE DEEMED TO BE A PART OF THE CONTRACT OF SALE BETWEEN UNION AND BUYER FOR THE GALVALUME[®] OR GALVANIZED STEEL PANELS WITH THE PAINT SYSTEM SOLD BY UNION TO THE BUYER. THE ENTIRE AGREEMENT AND UNDERSTANDING BETWEEN UNION AND THE BUYER WITH RESPECT TO THE PAINT SYSTEM IS EMBODIED IN THIS WRITING. THIS WRITING CONSTITUTES THE FINAL EXPRESSION OF THE PARTIES AGREEMENT AND IS A COMPLETE AND EXCLUSIVE STATEMENT OF THE TERMS OF THAT AGREEMENT.

Contact Us

Corporate Headquarters
701 S. King St.
Fayetteville, NC 28301
888-MTL-ROOF

Anderson Plant
200 Coe Rd
Anderson, SC 29624
800-544-5169

Orange Plant
12435 James Madison Hwy
Orange, VA 22960
800-762-6785

Vicksburg Plant
1463 Interplex Circle
Ceres Industrial Complex
Vicksburg, MS 39183
888-661-0577

Oklahoma City Plant
600 North Sara Rd,
Suite B
Yukon, OK 73099
866-373-5286

Spencer Plant
101 Lexington Avenue
Spencer, NC 28159
800-526-8156

Tifton Plant
3365 US Hwy 41
South
Tifton, GA 31794
800-962-9131

Ocala Plant
490 Oak Rd
Ocala, FL 34472
800-331-3584

Dayton Plant
1801 West High St
Piqua, OH 45356
877-615-9812

Scranton Plant
1019 Underwood Rd
Olyphant, PA 18447
866-695-6455