



Residential Metal Roofing Trim Guide

Residential Metal Roofing Trim Guide







2. Ridge Cap - Caps off roof peak, protects against leaks.




3. Rake Trim - Seals off roof where panels end at the gable.




11. Side Wall Trim - Protects against leaks where a side wall connects to a lower roof.



13. Fascia Trim - Conceals rafter edge. Also used to cover door jambs




16a. End Wall - Protects against leaks where an end wall connects to a lower roof.




16b. Notched End Wall - Profiled fit to protect against leaks where an end wall connects to a lower roof.




19a. Transition Flashing - Protects against leaks at a pitch change from low to high.




19b. Notched Transition Flashing - Profiled fit to protect against leaks at a pitch change from low to high.




20a. Gambrel Flashing - Protects against leaks at a pitch change from high to low.




20b. Notched Gambrel Flashing - Profiled fit to protect against leaks at pitch change from high to low.




21. Preformed Valley - Directs rain water run-off where two roof slopes form a valley.



22. Drip Edge - Diverts water away from house along eave.




23. Eave Edge - Diverts water away from house along eave.



24. Pipe Boot - Protects against leaks around pipes.

Residential Metal Roofing Trim Guide






All trims are 10' in length unless otherwise noted.

P = Painted Side

* Union Corrugating Company recommends the use of closure strips with the following trim pieces

Outside Closures: Ridge Cap, Endwall, Transition and Gambrel Inside Closures: Drip Edge, Eave Edge, Transition and Gambrel



Residential Metal Roofing Trim Guide



lotes

For more information, call 888.685.7663 or visit: unioncorrugating.com